

F. RIKARD-PETERSEN

TOPSTYKKET 11, DK-3460 BIRKERØD. TLF.: 45 81 43 66. FAX.: 45 82 18 02

Fig 1





Fig 2



Loddefri kabelsko

Vareidim. Varenr.	d1 mm	d2 mm	d3/b mm	l mm	a mm	til ledning mm ²	Vægt v/ 100 stk ca. gr.	Fig. nr.
59-05210-4260	4,5	10,5	18	21	8	10	340	1
59-11260-7260	7,5	10,5	18	26	11	25	800	1
59-13200-2260	2,3	13	18	20	5	1,5-2,5	170	1
59-28110-1260	1,6	2,8	6	11	5	0,5-1	58	1
59-32110-1260	1,6	3,2	6	11	5	0,5-1	56	1
59-32110-1261	1,6	3,2	6	11	5	0,5-1	56	2
59-32110-2260	2,3	3,2	6	11	5	1,5-2,5	63	1
59-43120-1260	1,6	4,3	8	12	5	0,5-1	70	1
59-43120-1261	1,6	4,3	8	12	5	0,5-1	70	2
59-43120-2260	2,3	4,3	8	12	5	1,5-25	78	1
59-43120-2261	2,3	4,3	8	12	5	1,5-2,5	78	2
59-43140-3261	3,6	4,3	8	14	6	4-6	140	2
59-43140-3360	3,6	4,3	8	14	6	4-6	140	1
59-53120-2260	2,3	5,3	8	12	5	1,5-2,5	70	1
59-53130-1260	1,6	5,3	10	13	5	0,5-1	90	1
59-53130-2261	2,3	5,3	10	13	5	1,5-2,5	90	2
59-53140-2260	2,3	5,3	10	14	5	1,5-2,5	90	1
59-53150-3260	3,6	5,3	10	15	6	4-6	160	1
59-65160-3260	3,6	6,5	11	16	6	4-6	170	1

Varer med almindelig skrift er normalt lagervarer.

For varer med kursiv skrift må påregnes leveringstid

Fig 1





Fig 2



Loddefri kabelsko

Varedim. Varenr.	d1 mm	d2 mm	d3/b mm	l mm	a mm	til ledning mm ²	Vægt v/ 100 stk ca. gr.	Fig. nr.
59-65160-3261	3,6	6,5	11	16	6	4-6	170	2
59-65170-4260	4,5	6,5	11	17	8	10	240	1
59-65200-5260	5,8	6,5	11	20	10	16	380	1
59-65250-7260	7,5	6,5	12	25	11	25	690	1
59-84170-1260	1,6	8,4	12	17	5	0,5-1	100	1
59-84190-3260	3,6	8,4	14	19	6	4-6	220	1
59-84200-4260	4,5	8,4	14	20	8	10	290	1
59-84220-5260	5,8	8,4	14	22	10	16	430	1
59-84250-7260	7,5	8,4	16	25	11	25	750	1
59-84260-8260	9	8,4	16	26	12	35	980	1

Varer med almindelig skrift er normalt lagervarer.
For varer med kursiv skrift må påregnes leveringstid.

F. RIKARD-PETERSEN

TOPSTYKKET 11, DK-3460 BIRKERØD. TLF.: 45 81 43 66. FAX.: 45 82 18 02

Fig 3





Fig 4



Loddefri kabelsko

Varedim. Varenr.	d1 mm	d2 mm	b mm	l mm	a mm	til ledning mm ²	Vægt v/ 100 stk ca. gr.	Fig. nr
59-10185-3260	3,7	10,5	15	25,5	8	6	317	3
59-10480-9260	13,5	10,5	25	48	24	95	4840	4
59-11270-4260	4,3	10,5	18	27	10	10	560	4
59-11290-5260	5,4	10,5	18	29	11	16	710	4
59-11310-7260	6,9	10,5	18	31	13	25	1040	4
59-11340-8260	8,3	10,5	18	35	16	35	1640	4
59-11370-9260	9,6	10,5	20	38	18	50	2490	4
59-11420-9260	11,5	10,5	22,5	43	21	70	3500	4
59-13390-9260	9,6	13	23	39,5	18	50	2540	4
59-13470-9260	13,5	10,5	25	48	24	95	4840	4
59-17450-9260	9,6	17	28	45	18	50	2800	4
59-19140-2260	15,5	17	29	55	28	95	7070	4
59-43150-2260	2,4	4,3	8,5	15	6,5	2,5	172	3
59-43170-3260	3,7	4,3	8,5	18	8	6	250	3
59-53145-2260	2,4	5,3	10	16	6,5	2,5	180	3
59-53175-3260	3	5,3	10	17,5	8	4	225	3
59-53185-3260	3,7	5,3	10	18,5	8	6	270	3
59-65180-3260	3,7	6,4	11	20	8	6	280	3
59-65220-4260	4,3	6,4	11	22	10	10	440	4

Varer med almindelig skrift er normalt lagervarer.
For varer med kursiv skrift må påregnes leveringstid.

F. RIKARD-PETERSEN

TOPSTYKKET 11, DK-3460 BIRKERØD. TLF.: 45 81 43 66. FAX.: 45

Fig 3





Fig 4



Loddefri kabelsko

Varedim. Varenr.	d1 mm	d2 mm	b mm	l mm	a mm	til ledning mm ²	Vægt v/ 100 stk ca. gr.	Fig. nr.
59-65280-7260	6,9	6,4	14	28	13	25	880	4
59-65320-8260	8,3	6,4	16,5	32	16	35	1550	4
59-84250-5260	5,4	8,4	15	26	11	16	640	4
59-84280-7260	6,9	8,4	15	29	13	25	970	4
59-84320-8260	8,3	8,4	16,5	32	16	35	1580	4
59-85185-3260	3,7	8,4	14	22	8	6	322	3

Varer med almindelig skrift er normalt lagervarer.
For varer med kursiv skrift må påregnes leveringstid.

F. RIKARD-PETERSEN

TOPSTYKKET 11, DK-3460 BIRKERØD. TLF.: 45 81 43 66. FAX.: 45 82 18 02

Fig 5




Fig 6




Fig 7





Fig 8



Loddefri kabelsko

Varedim. Varenr.	Stik bredde	Stik tykkelse	l1 mm	l2 mm	til ledning mm ²	Vægt v/ 100 stk ca. gr.	Fig. nr.
59-28008-1300	2,8	0,8	14	6,3	0,5-1	30	5
59-28008-1364	2,8	0,8	17,5	8	0,5-1	43	6
59-48006-1364	4,8	0,5	18	6	0,5-1	65	6
59-48008-1300	4,8	0,8	15,6	6	0,5-1	50	5
59-48008-1360	4,8	0,8	15,6	6	0,5-1	50	5
59-63008-1300	6,3	0,8	19	7,4	0,5-1	80	5
59-63008-1360	6,3	0,8	19	7,4	0,5-1	80	5
59-63008-1364	6,3	0,8	22	7,5	0,5-1	86	6
59-63008-1366	6,3	0,8	21	7,5	0,5-1	82	7
59-63008-1367	6,3	0,8	22	7,5	0,5-1	60	8
59-63008-2300	6,3	0,8	19	7,4	1,5-2,5	92	5
59-63008-2362	6,3	0,8	21	7,5	1,5-2,5	91	7
59-63008-2364	6,3	0,8	21	7,4	1,5-2,5	95	6
59-63008-2367	6,3	0,8	22	7,5	1,5-2,5	66	8
59-63008-3364	6,3	0,8	21	7,5	4-6	101	6
59-63008-3367	6,3	0,8	22	7,5	4-6	110	8
59-63008-8136	6,3	0,8	19	7,4	0,5-1	80	5

Varer med almindelig skrift er normalt lagervarer.
For varer med kursiv skrift må påregnes leveringstid.

F. RIKARD-PETERSEN

TOPSTYKKET 11, DK-3460 BIRKERØD. TLF.: 45 81 43 66. FAX.: 45 82 18 02

Fig 9





Fig 10




Fig 11






Fig 12



Loddefri kabelsko

Varedim. Varenr.	d1 mm	l mm	til stik- bredde	l2 mm	ø mm	til ledning mm ²	Vægt v/ 100 stk ca. gr.	Fig. nr.
59-16150-1260	1,6	15				0,5-1	90	9
59-23150-2260	2,3	15				1,5-2,5	110	9
59-28000-1007			2,8			0,5-1		10
59-48000-1007			4,8			0,5-2,5		10
59-48063-1007			6,3			0,5-4		10
59-63000-1007			6,3			0,5-4		10
59-40220-1364		22			4	0,5-1	60	11
59-40220-1367		22		9	4	0,5-1	60	12
59-50220-2367		22		9	5	1,5-2,5	100	12

Varer med almindelig skrift er normalt lagervarer.
For varer med kursiv skrift må påregnes leveringstid.

Fig 13





Fig 14



Loddefri kabelsko

Varedim. Varenr.	d1 mm	d2 mm	d3 mm	d4 mm	l mm	til ledning mm ²	Vægt v/ 100 stk ca. gr.	Fig. nr.
59-28160-1344	1,6	2,8	6	4,2	16	0,5-1	58	13
59-32140-0264	1,0	3,2	5	2,2	14	0,1-0,5	19	13
59-32160-1344	1,6	3,2	6	4,2	16	0,5-1	56	13
59-43160-1264	1,6	4,3	7	4,2	16	0,5-1	58	13
59-43170-1264	1,6	4,3	8	4,2	17	0,5-1	70	13
59-43170-2264	2,3	4,3	6,8	4,5	17	1,5-2,5	63	13
59-53170-1264	1,6	5,3	8	4,2	17	0,5-1	65	13
59-53180-2264	2,3	5,3	8	4,5	18	1,5-2,5	70	13
59-53190-2201	2,3	5,3	10	4,5	19	1,5-2,5	90	14
59-65220-2264	2,3	6,5	11	4,5	22	1,5-2,5	106	13
59-65220-3264	3,6	6,5	11	6,7	22	4-6	170	13
59-84200-1264	1,6	8,4	12	4,2	20	0,5-1	100	13